POPULATION ESTIMATES		LONG-TERM CA	ARE	LOCAL HEALTH DEPARTM	
Total 2003 Population 1	Community Options and Mas HSRS reports costs f	MA Wai ver For servi ces	Staffing - FTE Number	Per 10, 000 Popul ati on	
Population per square mile County ranking in state (1-	-72) 13	COP 69	Costs \$994, 530	Administrative 5.5 Public health nurses 16.0	2. 7 0. 4 1. 0
0-14 15, 790 16, 700 15-19 5, 430 5, 710	Total 32, 500 11, 150	MA Waiver * CIP1A 33 CIP1B 387	\$2, 227, 211 \$10, 375, 076	Total staff 41.7 Administrative 5.5 Public health nurses 16.0 Other prof. staff 10.4 Technical/Paraprof. 0.9 Support staff 9.0	0. 7 0. 1 0. 6
30-34 5, 180 5, 170 35-39 5, 740 5, 760	9, 920 9, 740 10, 350 11, 500 12, 760	MA Wai ver * CI P1A 33 CI P1B 387 CI P2 367 COP-W 184 CSLA 63 Brai n I nj ury 9 Total COP/Wvrs 1, 112	\$3, 745, 426 \$2, 407, 181 \$140, 721 \$595, 288	Fundi ng Total \$2, 837, 612 Local Taxes \$1, 596, 039	
45-54 11, 180 11, 310	22, 480 14, 830	\$986, 312 of the above	\$17,470,702	LI CENSED ESTABLI SHME	İ
65-74 5, 440 4, 630 75-84 4, 130 2, 730 85+ 1, 980 830	10, 070 6, 850 2, 810	were paid as local mat using COP funds. This not included in above	cch/overmatch amount is	Type Capacity Bed & Breakfast 42 Camps 1,643 Hotels, Motels 1,744 Tourist Rooming 0 Pools	Facilities 13 12 32
Age Female Male 0-17 19,100 20,210	Total 39, 320	* Wai ver costs reporte i ncl ude federal fundi	ng.	Restaurants	710
45-64 18, 850 18, 470 65+ 11, 550 8, 190	58, 600 37, 310 19, 730 154, 970	Eligible and Waiting 262	Costs n/a	Vendi ng	17
Poverty Estimates for 2000		(Family Care not provid	ded in county)	WIC PARTICIPANTS	
Estimate (C. All ages 11, 156 7. 3% Ages 0-17 3, 850 9. 5%	1 · +/-) 494 (4%) 256 (7%)	Note: Eligible and wait will be phased into t Waivers as available.	the COP and MA	Pregnant/Postpartum Infants Children, age 1-4 Total	Number 1, 766 1, 944 2, 324 6, 034
EMPLOYMENT Average wage for jobs covered by unemployment compensation \$		Home Heal th Agencies Patients	2, 161	CANCER INCIDENCE (20 Primary Site Breast	93
(place of work) Labor Force Estimates A	Annual	Patients per 10,000 po		Cervi cal Col orectal	6 88
	83, 471 78. 321	Nursing Homes Licensed beds Occupancy rate Residents on Dec. 31	9 835 85. 8% 774	Lung and Bronchus Prostate Other sites Total	128 123 338 776
Civilian Labor Force Number employed Number unemployed Unemployment rate	5, 150 6. 2%	Nursing Homes Licensed beds Occupancy rate Residents on Dec. 31 Residents age 65 or ol per 1,000 population	der 35	Note: Totals shown are for invasive cancers only.	

			NAT	ALITY				
TOTAL LIVE BIRTHS		2, 055	Birth Order First	Bi rths 829	Percent 40	Marital Status of Mother	Bi rths	Percent
Crude Live Birth Rate		13. 3	Second	672	33 17 10 0	Marri ed	1, 251	61
General Fertility Rat	te	63. 4	Thi rd	348	17	Not married	804	39
			Fourth or higher	206	10	Unknown	0	0
Live births with reported congenital anomalies 33 1.6%		Unknown	0	0	Education			
congenital anomalies	3	3 1.6%				Education	D: m+ha	Damaont
Dolivery Type	Dirtho	Percent	1st Prenatal Visit	Dirtho	Percent	of Mother	Births ess 61	Percent 3
Delivery Type Vaginal after	סוו נווס	Per Cerri	1st trimester	1, 809	88	Elementary or le Some high schoo		16
previous cesarean	35	2				High school	722	35
Forceps	35 45	2	3rd trimester	33	2	Some college	469	23
Forceps Other vaginal Primary cesarean	1, 451	7 <u>-</u>	No visits	205 33 6 2	<. 5	College graduate		21
Pri mary cesarean	292	14	Unknown	2	<. 5	Unknown	24	1
Repeat cesarean	232	11						
			Prenatal Visits	Bi rths	Percent	Smoking Status		
Bi rthwei ght	Bi rths	Percent	No visits	6	<. 5	of Mother	Bi rths	Percent
<1,500 gm	21	1.0	1-4	31	2	Smoker	361	18
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	128	6. 2	5-9	244 1, 106	12	Nonsmoker		82
2,500+ gm	1, 906	92. 7	10-12	1, 106	54	Unknown	0	0
Unknown	U	0	13+ Unknown	665 3	32 <. 5			
			UIRIOWII	ა 	<. ວ			
			Low Birthweight		Tri mest	ter of First Prenata	al Visit	
			Low Birthweight (under 2,500 am)	1st Tr	rimester	ter of First Prenata 2nd Trimester	al Visit Other/	′Unknown
Race/Ethni ci ty	Births P	ercent	(under 2.500 am)	1st Tr Births	rimester	2nd Trimester	Other/	'Unknown Percent
Race/Ethni ci ty Whi te	Births P 1,707	Percent 83	(under 2,500 gm) Births Percent 119 7.0	Bi rths 1, 539	rimester Percent 90	2nd Trimester Births Percent 144 8	Other/ Bi rths 24	Percent 1
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can	Births F 1,707 124	Percent 83 6	(under 2,500 gm) Births Percent 119 7.0	Bi rths 1, 539 97	rimester Percent 90 78	2nd Trimester Births Percent 144 8 21 17	Other/ Bi rths 24	Percent
White Black/Afr. American	1, 707	83 6	(under 2,500 gm) Births Percent 119 7.0	Bi rths 1,539 97 3	rimester Percent 90 78	2nd Trimester Births Percent 144 8 21 17	Other/ Bi rths 24 6	Percent 1 5
White Black/Afr. American	1, 707	83 6	(under 2,500 gm) Births Percent 119 7.0	Bi rths 1,539 97 3 143	rimester Percent 90 78	2nd Trimester Births Percent 144 8 21 17 4 57 29 16	Other/ Bi rths 24	Percent 1
White Black/Afr. American	1, 707	83 6	(under 2,500 gm) Births Percent 119 7.0	Bi rths 1, 539 97 3 143	imester Percent 90 78 43 79	2nd Trimester Births Percent 144 8 21 17 4 57 29 16 *	Other/ Bi rths 24 6	Percent 1 5 5
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	1, 707	83 6	(under 2,500 gm) Births Percent 119 7.0	Bi rths 1,539 97 3 143	rimester Percent 90 78	2nd Trimester Births Percent 144 8 21 17 4 57 29 16	Other/ Bi rths 24 6	Percent 1 5
White Black/Afr. American	1, 707	83 6	(under 2,500 gm) Births Percent 119 7.0 19 15.3	Bi rths 1, 539 97 3 143 * 23	rimester Percent 90 78 43 79 74	2nd Trimester Births Percent 144 8 21 17 4 57 29 16 * . 7 23	0ther/ Bi rths 24 6 10 * 1	Percent 1 5 5
White Black/Afr. American	1, 707 124 7 182 4 31	83 6 <. 5 9 <. 5 2	(under 2,500 gm) Births Percent 119 7.0 19 15.3	Bi rths 1, 539 97 3 143 * 23	rimester Percent 90 78 43 79 74	2nd Trimester Births Percent 144 8 21 17 4 57 29 16 * . 7 23	0ther/ Bi rths 24 6 10 * 1	Percent 1 5 . 5 . 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	1, 707 124 7 182 4 31	83 6	(under 2,500 gm) Births Percent 119 7.0 19 15.3 7 3.8 * 3 9.7	Bi rths 1, 539 97 3 143 * 23 	ri mester Percent 90 78 43 79 . 74 Tri mest	2nd Trimester Births Percent 144 8 21 17 4 57 29 16 * . 7 23	Other/ Births 24 6 10 * 1 al Visit Other/	Percent 1 5 5
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	1, 707 124 7 182 4 31 Fe Bi rths 0	83 6 <.5 9 <.5 2 	(under 2,500 gm) Births Percent 119 7.0 19 15.3 . 7 3.8 * 3 9.7 Low Birthweight (under 2,500 gm) Births Percent	Bi rths 1, 539 97 3 143 * 23 1st Tr Bi rths	ri mester Percent 90 78 43 79 . 74 Tri mester Percent	2nd Trimester Births Percent 144 8 21 17 4 57 29 16 * . 7 23	Other/ Births 24 6 10 * 1 al Visit Other/ Births	Percent 1 5 . 5 . 3 /Unknown Percent .
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	1, 707 124 7 182 4 31 Fe Bi rths 0 71	83 6 <.5 9 <.5 2 	(under 2,500 gm) Births Percent 119 7.0 19 15.3 . 7 3.8 * 3 9.7 Low Birthweight (under 2,500 gm) Births Percent . 7 9.9	Bi rths 1, 539 97 3 143 * 23 1st Tr Bi rths	ri mester Percent 90 78 43 79 74 Tri mest ri mester Percent	2nd Trimester Births Percent 144 8 21 17 4 57 29 16 * . 7 23	Other/ Births 24 6 10 * 1 al Visit Other/ Births	Percent 1 5 . 5 . 3 /Unknown Percent . 7
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	1, 707 124 7 182 4 31 Fe Bi rths 0 71 161	83 6 <.5 9 <.5 2 	(under 2,500 gm) Births Percent 119 7.0 19 15.3 7 3.8 * 3 9.7 Low Birthweight (under 2,500 gm) Births Percent 7 9.9 13 8.1	Bi rths 1, 539 97 3 143 * 23 1st Tr Bi rths 56 130	ri mester Percent 90 78 43 79 . 74 Tri mester Percent . 79 81	2nd Trimester Births Percent 144 8 21 17 4 57 29 16 * . 7 23	Other/ Births 24 6 10 * 1 al Visit Other/ Births 5	Percent 1 5 . 5 . 3 /Unknown Percent . 7
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	1, 707 124 7 182 4 31 Fe Bi rths 0 71 161 575	83 6 <.5 9 <.5 2 ertility Rate 21 76 118	(under 2,500 gm) Births Percent 119 7.0 19 15.3 . 7 3.8 * 3 9.7 Low Birthweight (under 2,500 gm) Births Percent . 7 9.9 13 8.1 51 8.9	Bi rths 1, 539 97 3 143 * 23 1st Tr Bi rths 56 130 483	ri mester Percent 90 78 43 79 . 74 Tri mester Percent . 79 81 84	2nd Trimester Births Percent 144 8 21 17 4 57 29 16 * . 7 23 ter of First Prenate 2nd Trimester Births Percent	Other/ Births 24 6 10 * 1 al Visit Other/ Births 5 3	Percent 1 5 . 5 . 3 /Unknown Percent . 7
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	1, 707 124 7 182 4 31 	83 6 <.5 9 <.5 2 	(under 2,500 gm) Births Percent 119 7.0 19 15.3 7 3.8 * 3 9.7 Low Birthweight (under 2,500 gm) Births Percent 7 9.9 13 8.1 51 8.9 35 5.9	Bi rths 1, 539 97 3 143 * 23 1st Tr Bi rths 56 130 483 533	ri mester Percent 90 78 43 79 . 74 Tri mester Percent . 79 81 84 90	2nd Trimester Births Percent 144 8 21 17 4 57 29 16 * . 7 23 ter of First Prenat: 2nd Trimester Births Percent	Other/ Births 24 6 10 * 1 al Visit Other/ Births 5 3 14	Percent 1 5 . 5 . 3 /Unknown Percent . 7
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	1, 707 124 7 182 4 31 	83 6 <.5 9 <.5 2 	(under 2,500 gm) Births Percent 119 7.0 19 15.3 7 3.8 * 3 9.7 Low Birthweight (under 2,500 gm) Births Percent 7 9.9 13 8.1 51 8.9 35 5.9 30 6.5	Bi rths 1, 539 97 3 143 * 23 1st Tr Bi rths . 56 130 483 533 435	ri mester Percent 90 78 43 79 . 74 Tri mester Percent . 79 81 84 90 94	2nd Trimester Births Percent 144 8 21 17 4 57 29 16 * . 7 23 ter of First Prenat: 2nd Trimester Births Percent	Other/ Births 24 6 10 * 1 al Visit Other/ Births 5 3 14 10 5	Percent 1 5 . 5 . 3
White BIack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	1, 707 124 7 182 4 31 	83 6 <.5 9 <.5 2 	(under 2,500 gm) Births Percent 119 7.0 19 15.3 7 3.8 * 3 9.7 Low Birthweight (under 2,500 gm) Births Percent 7 9.9 13 8.1 51 8.9 35 5.9 30 6.5 7 4.5	Bi rths 1, 539 97 3 143 * 23 1st Tr Bi rths . 56 130 483 533 435 142	ri mester Percent 90 78 43 79 . 74 Tri mester Percent . 79 81 84 90 94 91	2nd Trimester Births Percent 144 8 21 17 4 57 29 16 * . 7 23 ter of First Prenate 2nd Trimester Births Percent	Other/Births 24 6 . 10 * al Visit Other/Births . 5 3 14 10 5 2	Percent 1 5 . 5 . 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	1, 707 124 7 182 4 31 	83 6 <.5 9 <.5 2 	(under 2,500 gm) Births Percent 119 7.0 19 15.3 7 3.8 * 3 9.7 Low Birthweight (under 2,500 gm) Births Percent 7 9.9 13 8.1 51 8.9 35 5.9 30 6.5 7 4.5 6 16.2	Bi rths 1, 539 97 3 143 * 23 1st Tr Bi rths . 56 130 483 533 435	ri mester Percent 90 78 43 79 . 74 Tri mester Percent . 79 81 84 90 94	2nd Trimester Births Percent 144 8 21 17 4 57 29 16 * . 7 23 ter of First Prenat: 2nd Trimester Births Percent	Other/ Births 24 6 10 * 1 al Visit Other/ Births 5 3 14 10 5	Percent 1 5 . 5 . 3
White BIack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	1, 707 124 7 182 4 31 	83 6 <.5 9 <.5 2 	(under 2,500 gm) Births Percent 119 7.0 19 15.3 7 3.8 * 3 9.7 Low Birthweight (under 2,500 gm) Births Percent 7 9.9 13 8.1 51 8.9 35 5.9 30 6.5 7 4.5	Bi rths 1, 539 97 3 143 * 23 1st Tr Bi rths . 56 130 483 533 435 142	ri mester Percent 90 78 43 79 . 74 Tri mester Percent . 79 81 84 90 94 91	2nd Trimester Births Percent 144 8 21 17 4 57 29 16 * . 7 23 ter of First Prenate 2nd Trimester Births Percent	Other/Births 24 6 . 10 * al Visit Other/Births . 5 3 14 10 5 2	Percent 1 5 . 5 . 3

MORBIDITY			MO	RTALLTY			
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.						
Di sease Number Campyl obacter Enteritis 29 Gi ardi asi s 22 Hepatitis Type A <5	TOTAL DEATHS Crude Death Rate			Selected Underlying Cause Heart Disease (total) Ischemic heart diseas	se 230 148		
Hepatitis Type B** 18 Hepatitis NANB/C 131 Legionnaire's 0 Lyme <5 Measles 11	Age 1-4 5-14 15-19 20-34	Deaths 4 8 8 25	Rate 83	Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast Cerebrovascular Disea	28 18 22 28*	r	
Meningitis, Aseptic 5 Meningitis, Bacterial <5 Mumps . Pertussis <5	35-54 55-64	142 142 232 355	304 958 2, 303 5, 182	Lower Resp. Disease Pneumonia & Influenza Accidents	76 49 41 26 63 41		
Sal monel I osi s Shi gel I osi s Tubercul osi s 5 7 7 8 8 18 5 7 7 7 7 7 7 7 7 7 7 7 7	05-74 75-84 85+ Infant	382	13, 598	Motor vehicle Diabetes Infect./Parasitic Dis Suicide	30 23		
 * 2003 provisional data. ** Includes all positive HBsAg test results. 	Mortality Total Infant Neonatal Postneonatal	10 6	Rate	* Based on female population * Based on female population * Busine	E AS UNDERLYING		
Sexually Transmitted Disease Chlamydia Trachomatis 493 Genital Herpes 75 Gonorrhea 160	Unknown Race of Mother White Black	9 1	· ·	Al cohol Other Drugs Both Mentioned * Includes tobacco usa	11 . 201* 130 7 . e (see page 7).		
Syphi I i s <5	Hi spani c Laoti an/Hmong Other/Unknown			MOTOR VEHIC	LE CRASHES based on location		
Children in Grades K-12 by Compliance Level	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm	6 4	:	of crash, not of the state of Motor Vehicle Crash		,	
Compliant 28,317 Non-compliant 947 Percent Compliant 96.8	Unknown Peri natal			Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation:			
	Mortality Total Perinatal Neonatal Fetal	Deaths 16 6 10	Rate	For OWI For Speeding Motorcyclist Bicyclist Pedestrian	204 1 68 2 45 1	1 2 1	

				- 2003 HOSP	ITALIZATIONS					
1		Average		Charge			Per	Average		Charge
DI SEASE /	1, 000			Per	DI SEASE / AGE GROUP		1, 000	Stay	Average	Per
AGE GROUP Numb	er Pop	(Days)	Charge	Capi ta	AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
Injumy Dolotod, All					Alaskal Dalatad					
Injury-Related: All Total 1,4	51 9.4	Εĵ	\$21, 336	\$200	Al cohol -Rel ated Total	237	1. 5	3. 9	\$6, 807	\$10
10tal 1, 4 <18 1	30 3.3		\$21, 330 \$12, 243	\$200 \$40	18-44	158	2. 7	3. 9 3. 7	\$6, 607 \$5, 406	\$10 \$15
<18 1	30 3. 3 92 6. 7	2. 9 1 0	\$12, 243 \$21, 845	\$40 \$146	45-64	68	1.8	3. <i>1</i> 4. 3	\$3, 400 \$9, 677	\$13 \$18
10-44	42		\$21, 643 \$21, 624	\$140 \$198	Pneumonia and Ir		1.0	4. 3	\$7,077	\$10
18-44 3 45-64 3 65+ 5	87 29. 7	5. 5	\$21, 024	\$679	Total	532	3. 4	5. 5	\$12, 983	\$45
Injury: Hip Fractu	01 29.1	5. 9	\$ZZ, 04 I	Ф 079	<18	54	1. 4	2. 4	\$12, 9 63 \$5, 076	\$45 \$7
Total 1	66 1.1	5.7	\$24, 308	\$26	45-64 65+	92	2. 5		\$3,076 \$14,725	\$36
	51 7.7		\$24, 169	\$185	65+	345	17. 5	6. 3	\$14, 723	\$247
Injury: Poi soni ngs	31 7.7	5. 7	Ψ 24 , 107	Ψ105	Cerebrovascul ar		17. 3	0. 5	Ψ14, 113	Ψ Ζ 47
Total 1	05 0. 7	2. 6	\$8, 946	\$6	Total	383	2. 5	4. 9	\$17, 890	\$44
	58 1. 0		\$9, 623	\$10	45-64	109	2. 9	5. 3	\$24, 266	\$71
10 44	1.0	2. 0	Ψ7, 023	ΨΙΟ	65+	257	13. 0	4. 7	\$15, 082	\$196
Psychi atri c					Chronic Obstruct				Ψ10, 002	Ψ170
Total 9	19 5. 9	7. 5	\$8, 375	\$50	Total	455	2. 9	4. 7	\$10, 797	\$32
<18 1	68 4.3	8.8	\$12, 115	\$52	<18	52	1. 3	2. 3	\$4, 533	\$6
	61 7. 9		\$5, 419	\$43	18-44	46	0.8	3. 0	\$6, 725	\$5
	79 4.8		\$8, 294	\$40	45-64	130	3. 5	4. 8	\$11, 957	\$42
	11 5.6	12. 4		\$85	<18 18-44 45-64 65+	227	11. 5	5. 5	\$12, 392	\$143
			,		Drug-Rel ated				. , -	
Coronary Heart Disea	se				Total	105	0. 7	4. 5	\$4, 877	\$3
Total 9	18 5.9	3. 9	\$27, 504	\$163	18-44	75	1. 3	4. 5	\$4, 217	\$5
	76 10. 1	3. 3	\$27, 166	\$274						
65+ 4	96 25. 1	4. 5	\$28, 179	\$708	Total Hospitaliz	zati ons				
					Total Total	17, 878	115. 4	4. 3	\$13, 252	\$1, 529
Malignant Neoplasms	(Cancers)	: All			<18	3, 127	79. 5	3. 0	\$5, 708	\$454
Total 5	66 3. 7	6. 0	\$23, 014	\$84	18-44	5, 091	86. 9	3. 3	\$10, 040	\$872
18-44 45-64 2	66 1. 1	5. 9	\$25, 100	\$28	45-64	3, 755	100. 6	4. 6	\$17, 286	\$1, 739
45-64	02 5. 4	5. 2	\$20, 985	\$114	65+	5, 905	299. 2	5. 7	\$17, 452	\$5, 222
65+ 2	88 14.6	6.5	\$23, 041	\$336						
Neoplasms: Female	Breast (r	ates for	remale po		PRI	-VENTABLE	HOSPIT	ALI ZATI (UNS*	
	55 0. 7	2. 2	\$11, 271 [°]	\$8	Total	2, 222	14. 3	4. 9	\$12, 115	\$174
Neoplasms: Colo-re	ctal	2 2	404 040	44	<18	221 282	5. 6	2. 4		\$33
Total 65+	71 0.5		\$31, 312	\$14	18-44 45-64	282	4.8	3. 6	\$9, 371	\$45
1 001	46 2. 3	9. 7	\$35, 181	\$82	45-64	497	13. 3		\$14, 128	\$188
Neoplasms: Lung	// 0.4	/ 0	ቀ ጋር 1ጋጋ	ф 1 1	65+	1, 222	61. 9	5. 6	\$13, 057	\$809
Total	66 0. 4	6.8	\$25, 123	\$11						
Di abetes					* Hospitalizations	for cond	itions	where t	imely and	effective
	57 1.7	5. 5	\$16, 371	\$27	ambulatory care car	reduce	the lik	cel i hood	of hospi	talization
65+	90 4.6	7. 4	\$19, 760	\$ 9 0						
		• • •		,						
'					· 					